

Unit 1: Introduction to Data

1. Data: Where it comes from, and why that matters

(Chapter 1.1-1.5)

1/21/2022

Sampling: The bridge between data and analysis



Key ideas

1. Using samples to make inferences about populations
2. The way you sample your data can change your inferences about the population
3. Experiments use random assignment to treatment groups, observational studies do not
4. Random samples help with **generalizability**, random assignment helps with **causality**

Was the Supreme Court's vaccine mandate ruling justified given arguments?



Was the Supreme Court's vaccine mandate ruling justified given arguments?

Why did I have you message me privately?

I wanted to get **independent** samples



Are there any other sources of **measurement error**?

You might want to give an answer that you think I will like.

This is a **Demand characteristic**. E.g. the Bradley effect

Do Americans think the ruling was justified?



No : 56%
Yes: 44%
17 votes cast

Each of these polls is a **sample**
But I want to make an inference
to the **population**



No : 56%
Yes: 33%
1500 votes cast

When I draw a conclusion about
the population from a sample, I
make an **inference**.



No : 6%
Yes: 94%
2688 votes cast

The way I collect my sample can
lead me to different inferences.

Which of these samples is best?

Larger samples are better samples


Why is bigger better?

Small samples are more **variable**.

There are 100 dots here, and 18 of them are red.

If I draw 3 dots, **more than half** the time 0 will be red.

If I draw 50 dots, less than **1 out of 100 billion times** 0 will be red



For random samples, larger samples are more **representative**

Are these **random** samples?



No : 56%

Yes: 44%

17 votes cast



No : 56%

Yes: 33%

1500 votes cast



No : 6%

Yes: 94%

2688 votes cast

No! They are
convenience samples

How representative is the Morning Consult sample?



Survey of a representative sample of 1,500 US adults from January 13-14, 2022. The margin of sampling error for results based on the total sample is plus or minus +/- 2 percentage points.

No : 56%
Yes: 33%

“Morning Consult uses a stratified sampling procedure for conducting our daily national surveys. We use the interaction of age (4 levels), gender (2 levels), and English/Spanish language (2 levels), for a total of 16 cells in our strata, when conducting daily national surveys.

1500 votes cast

We have obtained these interactions from the 2017 5-year estimates of the American Community Survey (ACS)”

How representative is the PragerU sample?



Yes: 6%

No : 94%

2688 votes cast

People could vote multiple times.
Why is this bad?


People who voted were likely to be
regular followers of the PragerU twitter
account.

People from outside the US could vote.
Why is this bad?

Sampling bias in the polls: Landon vs. FDR



Alf Landon




Franklin Delano Roosevelt

In 1936, Landon sought the Republican presidential nomination opposing the re-election of FDR.


The Literary Digest poll

- The Literary Digest polled about 10 million Americans, and got responses from about 2.4 million.
- The poll showed that Landon would likely be the overwhelming winner and FDR would get only 43% of the votes.
- Election result: FDR won, with 62% of the votes.
- The magazine was completely discredited because of the poll, and was soon discontinued.



What went wrong?

- The magazine had surveyed
 - its own readers,
 - registered automobile owners,
 - registered telephone users, and
 - country club members
- These groups had incomes well above the national average—it was the Great Depression!
 - The sample was **not representative**
- This sample was huge—2.4 million people. But it was biased, and thus inaccurate.



A sampling metaphor



When you taste a spoonful of soup and decide the spoonful you tasted isn't salty enough, that's **exploratory analysis**

If you generalize and conclude that your entire soup needs salt, that's an **inference**

For your inference to be valid, the spoonful you tasted (the **sample**) needs to be **representative** of the entire pot (the **population**)

If the soup is not well stirred, it doesn't matter how large a spoon you have, it will still not taste right. If the soup is well stirred, a small spoon will suffice to test the soup.

Practice Question 1

A school district is considering whether it will no longer allow high school students to park at school after two recent accidents where students were severely injured. As a first step, they survey parents by mail, asking them whether or not the parents would object to this policy change. Of 6,000 surveys that go out, 1,200 are returned. Of these 1,200 surveys that were completed, 960 agreed with the policy change and 240 disagreed.

Which of the following statements are true?

1. Some of the mailings may have never reached the parents.
2. The district has strong support from parents to move forward with the policy
3. It is possible that majority of the parents disagree with the policy change.
4. The survey results are unlikely to be biased because all parents were mailed a survey.

(a) Only 1

(b) 1 and 2

(c) 1 and 3

(d) 3 and 4

(e) Only 4

Practice Question 1

A school district is considering whether it will no longer allow high school students to park at school after two recent accidents where students were severely injured. As a first step, they survey parents by mail, asking them whether or not the parents would object to this policy change. Of 6,000 surveys that go out, 1,200 are returned. Of these 1,200 surveys that were completed, 960 agreed with the policy change and 240 disagreed.

Which of the following statements are true?

1. Some of the mailings may have never reached the parents.
2. The district has strong support from parents to move forward with the policy
3. It is possible that majority of the parents disagree with the policy change.
4. The survey results are unlikely to be biased because all parents were mailed a survey.

(a) Only 1

(b) 1 and 2

(c) 1 and 3

(d) 3 and 4

(e) Only 4

Practice Question 2



No : 56%

Yes: 44%

17 votes cast

I want to predict whether **Carnegie Mellon Students as a whole** thought the Supreme Court's judgment was justified.



No : 56%

Yes: 33%

1500 votes cast

Which sample should I use?



No : 6%

Yes: 94%

2688 votes cast

Do we know if watching the arguments played a causal role?

Ask the non-watchers

Good: xx%

Bad : xx%

XX votes cast




Can I just compare the watchers and non-watchers to each-other?

Can the non-watchers be a **control** group for the watchers?

They might actually be from a different **population**.


We did an **observational study**, not an **experiment**

To know that my **treatment** was causal is to use **random assignment**



Justified?

Consequences of non-random assignment



Chocolate makes you brilliant?

Brilliant people like chocolate?

What else could it be?

Practice Question 3

A study that surveyed a random sample of otherwise healthy adults found that people are more likely to get migraines when they're stressed. The study also noted that people drink more coffee and sleep less when they're stressed.

What type of study is this?

Observational

What is the conclusion of the study?

There is an association between increased stress & migraines.

Can we conclude a **causal** relationship between increased stress and migraines?


Migraines might also be due to increased caffeine consumption or sleeping less – these are potential **confounding** variables.

Getting good samples

- Almost all statistical methods are based on the notion of implied randomness.
- If observational data are not collected in a random framework from a population, these statistical methods – the estimates and errors associated with the estimates – are not reliable.
- Most commonly used random sampling techniques are **simple**, **stratified**, and **cluster** sampling.


Simple random sample

If there are no dependencies between people,
you can just draw them random from the population




Stratified sample

Strata are made up of similar observations. We take a simple random sample from each stratum.




Cluster sample

Clusters are usually not made up of homogeneous observations. We take a simple random sample of clusters, and then sample all observations in that cluster. Usually preferred for economical reasons.



Multi-stage sample

Clusters are usually not made up of homogeneous observations.
We take a simple random sample of clusters,
Then take a simple random sample of observations from the
sampled clusters



Practice Question 4

A city council has requested a household survey be conducted in a suburban area of their city. The area is broken into many distinct and unique neighborhoods, some including large homes, some with only apartments. Which approach would likely be the least effective?

1. Simple random sampling
2. Stratified sampling, where each neighborhood is a stratum
3. Cluster sampling, where each neighborhood is a cluster

Practice Question 4

A city council has requested a household survey be conducted in a suburban area of their city. The area is broken into many distinct and unique neighborhoods, some including large homes, some with only apartments. Which approach would likely be the least effective?

1. Simple random sampling
2. Stratified sampling, where each neighborhood is a stratum
- 3. Cluster sampling, where each neighborhood is a cluster**

Random assignment and random sampling

<i>ideal experiment</i>	Random assignment	No random assignment	<i>most observational studies</i>
Random sampling	Causal conclusion, generalized to the whole population.	No causal conclusion, correlation statement generalized to the whole population.	Generalizability
No random sampling	Causal conclusion, only for the sample.	No causal conclusion, correlation statement only for the sample.	No generalizability
<i>most experiments</i>	Causation	Correlation	<i>bad observational studies</i>

Key ideas

1. Using samples to make inferences about populations
2. The way you sample your data can change your inferences about the population
3. Experiments use random assignment to treatment groups, observational studies do not
4. Random samples help with **generalizability**, random assignment helps with **causality**

Things to do:

Take the CAOS Test.

Due Monday at the start of class!

Start thinking about the homework.

Online Resources

Course Website:

<https://dyurovsky.github.io/85309/>

- Find syllabus, slides, etc.

Canvas:

<https://www.cmu.edu/canvas/>

- Submit assignments

Piazza:

piazza.com/cmu/spring2022/85309/home

- Post and answer questions